

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	09/924,831	VOZICK ET AL.
	Examiner Vijay B. Chawan	Art Unit 2654

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to Applicants' correspondence filed 4/4/05.

2.  The allowed claim(s) is/are 1-18.

3.  The drawings filed on 08 August 2001 are accepted by the Examiner.

4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a)  All    b)  Some\*    c)  None    of the:

1.  Certified copies of the priority documents have been received.

2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.

3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.

(a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached

1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.

(b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

**Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).**

7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

#### Attachment(s)

- 1.  Notice of References Cited (PTO-892)
- 2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
- 4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
- 5.  Notice of Informal Patent Application (PTO-152)
- 6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
- 7.  Examiner's Amendment/Comment
- 8.  Examiner's Statement of Reasons for Allowance
- 9.  Other \_\_\_\_\_

  
Vijay B. Chawan

VIJAY CHAWAN  
PRIMARY EXAMINER

**DETAILED ACTION**

***Information Disclosure Statement***

1. The Information Disclosure Statement submitted by the Applicant on 4/4/2005 has been considered.

***Allowable Subject Matter***

2. Claims 1-18 are allowed.

3. The following is an examiner's statement of reasons for allowance: Applicants claim an apparatus for hands-free command and control of a dental imaging system having a display monitor, a microphone and a storage device storing a plurality of dental images corresponding to a dental patient, comprising a speech recognition unit which converts to electronic speech data a voice command received through the microphone to select one of the plurality of dental images for viewing, and a command and control processor for the electronic speech data received from said speech recognition unit, wherein said command and control processor causes the selected dental image to be retrieved from the storage device and then displayed on the display monitor. The prior art submitted on 4/4/2005, teach voice activated diagnostic imaging control user device and a method for integrating a picture archiving communication system and a voice dictation or a voice recognition system. They do not specifically teach applicant's

claimed apparatus for hands-free command and control of a dental imaging system having a display monitor, a microphone and a storage device storing a plurality of dental images corresponding to a dental patient, comprising a speech recognition unit which converts to electronic speech data a voice command received through the microphone to select one of the plurality of dental images for viewing, and a command and control processor for the electronic speech data received from said speech recognition unit, wherein said command and control processor causes the selected dental image to be retrieved from the storage device and then displayed on the display monitor.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vijay B. Chawan whose telephone number is (571) 272-7601. The examiner can normally be reached on Monday Through Friday 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richemond Dorvil can be reached on (571) 272-7602. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Vijay B. Chawan  
Primary Examiner  
Art Unit 2654

vbc  
8/8/05

**VIJAY CHAWAN  
PRIMARY EXAMINER**